IMPLEMENTATION PROGRAM



Lower San Joaquin River Salinity and Boron Control Program

TOPICS

- Highlights of morning session
- Regional Board
- Methods for reducing salinity and boron
- Potential control program

Morning Session

Background information

Potential water quality objectives

REGIONAL BOARD

Responsible for protecting beneficial uses of both surface waters and ground waters

Authority over both point source and nonpoint source discharges

REGIONAL BOARD

Basic regulatory tool: Waste Discharge Requirements

Nonpoint sources: Management practices

Prohibition of discharge

Enforcement

Basin Plan Implementation Chapter

Explains how the Board will conduct a program to protect water quality

Contains time schedules

Describes surveillance and monitoring

Can Salinity and Boron Levels be Reduced?

Methods for Reducing Salt and Boron

- Less salt into the valley
- More water
- Less salt in drain water
- More salt out of valley
- Real time water management

Methods for Reducing Salt and Boron

- Less salt into the valley
- More water
- Less salt in drain water
- More salt out of valley
- Real time water management

Less Salt in Drain Water

- Water conservation
- Tailwater recovery
- Sequential reuse and volume reduction
- Evaporation ponds
- Water treatment
- Land retirement
- Active alternative land management

Less Salt in Drain Water

(Continued)

- Reduce municipal and industrial sources of salt
- Reduce other nonpoint sources
- Ground water management

Watershed Approach

- Control effort will address entire watershed
- Point and nonpoint source dischargers
- Water agencies
- Groups of water agencies and other regional entities

Approach

Focus on waste management

Does not address export of water from the watershed

Does not address importation of salt

Nonpoint Source Dischargers

- State Water Resources Control Board's
 Nonpoint Source Pollution Control Program
- Three-tier process
 - Voluntary
 - Regulatory-based encouragement
 - Full regulation

Waiver of WDRs for Irrigation Return Flows (tailwater)

Current conditions:

– "Operating to minimize sediment to meet Basin Plan turbidity objectives and to prevent concentrations of materials toxic to fish and wildlife."

Proposed:

 For LSJR watershed, add conditions related to participation in (1) a local watershed effort and/or (2) an MOU to establish a real-time operation

Waiver of WDRs for Wetland Discharges

■ Same as for irrigation return flows

Waiver of WDRs for Agricultural Subsurface Drainage

WDRs already used to control selenium

 Use irrigation return flow waiver conditions for subsurface drainage in low selenium areas

Proposed Categories of Dischargers

Dischargers operating under WDRs

- Dischargers meeting WDR waiver conditions
 - Discharge meets receiving water standards
 - Local Management Plans approved by Board
 - Participant in Basin-wide Real Time
 Management Program

Waste Discharge Requirements

- Sets limits
 - Volumes
 - Concentrations
 - Loads
 - Timing of discharge
- Time schedules
- Monitoring
- Enforceable

Proposed WDR Waiver Conditions

High Quality Discharges

■ WDRs waived if no salt added and discharge meets receiving water standards

Proposed WDR Waiver Conditions

Local Management Plan

- Prepared by water agencies, groups of agencies, or others
- Requires:
 - Evaluation of control options
 - How/when changes will be made
 - Monitoring
- Board approval required
- Should qualify for Proposition 13 funds

Proposed WDR Waiver Conditions

Real Time Management Program

- Single agency
- Will be able to use assimilative capacity during high-flow conditions
- Responsible for:
 - Coordinating activities of participants
 - CEQA/WDRs
 - Identification/implementation of control measures

Total Maximum Daily Loads (TMDLs)

Incorporated into WDRs

Goal for management plans

Program Timeline

- □ First 18 Months
 - Conduct monitoring

Program Timeline

- Next 20 Months
 - Notify Board of intent
 - Cease discharge

or

Prepare Management Plans

or

Participate in development of Real-time Management
 Program

or

Submit Report of Waste Discharge

Program Timeline

- Next 18 Months
 - Board consideration of Management Plans and WDRs

Incentive

Prohibition of discharge?

Other approaches?

Point Sources

Develop salinity/boron reduction plans

Comply with TMDLs

Groundwater Protection

WDRs will be required for salt/boron storage and disposal sites

QUESTIONS

- Are there approaches to get involvement from:
 - Parties that divert water from the watershed
 - Parties that import salt into the watershed
- Are the timetables appropriate?
- For nonpoint source dischargers, are there incentives to participate other than a Prohibition of Discharge?



Lower San Joaquin River Basin

